

Supplementary Information for
Phylogeography and the origin of cassava:
new insights from the northern rim of the Amazonian basin

Guillaume Léotard ^{1, 2, 3}, Anne Duputié ^{1,3}, Finn Kjellberg ¹, Emmanuel Douzery ⁴,
Chantal Debain ¹, Jean-Jacques de Granville ⁵, Doyle McKey ¹

Table of contents

| | |
|------------------------|---|
| Supplementary Table 1 | 2 |
| Supplementary Table 2 | 3 |
| Supplementary Figure 1 | 4 |

¹Centre d'Écologie Fonctionnelle et Évolutive – UMR 5175, 1919 Route de Mende, 34293 Montpellier CEDEX 5, France

²Corresponding author. Address: CEFÉ UMR 5175, 1919 Route de Mende, 34293 Montpellier CEDEX 5, France. Fax +33 4 67 41 21 38. Email: leotardmtp@yahoo.fr

³These authors contributed equally to this work.

⁴Institut des Sciences de l'Évolution de Montpellier (ISE-M UMR5554), CNRS, Université Montpellier II, Place Eugène Bataillon, 34095 Montpellier, France

⁵Unité 84 Biodival, Institut de Recherche pour le Développement, Herbier de Guyane, Route de Montabo, BP165, 97323 Cayenne CEDEX, France

Supplementary Table 1. Sampling locations for the wild relatives of cassava.

| Species | Site | GPS coordinates | Number of samples | Name of collector | Collection date |
|---|-------------------------------|----------------------|--|-------------------|-----------------|
| <i>M. esculenta</i> ssp. <i>flabellifolia</i> sensu Allem | Roche Touatou, French Guiana | 02°57' N - 052°32' W | 2 | Doyle McKey | 2002 |
| | Camopi, French Guiana | 03°01' N - 052°31' W | 7 | Doyle McKey | 2002 |
| | Monts Arawa, French Guiana | 02°49' N - 053°22' W | 6 | Corinne Sarthou | 2002 |
| | Petit Mitaraka, French Guiana | 02°17' N - 054°31' W | 4 | Philippe Gaucher | 2002 |
| | Tonate, French Guiana | 05°00' N - 055°28' W | 5 | Benoît Pujol | 2002 |
| | Kourou, French Guiana | 05°07' N - 052°39' W | 7 | Doyle McKey | 2002 |
| | Sinnamary, French Guiana | 05°21' N - 052°56' W | 3 | Guillaume Léotard | 2003 |
| | Trou Poissons, French Guiana | 05°24' N - 053°06' W | 4 | Guillaume Léotard | 2003 |
| | Roche Blanche, French Guiana | 05°29' N - 053°18' W | 2 | Guillaume Léotard | 2003 |
| | Grand Macoua, French Guiana | 05°32' N - 053°24' W | 6 | Guillaume Léotard | 2003 |
| | Sinnamary, French Guiana | 05°23' N - 053°00' W | 1 | Guillaume Léotard | 2003 |
| | Jambi, Sumatra | 01°45' S - 102°55' E | 1 | Guillaume Léotard | 2003 |
| | Monts d' Arawa, French Guiana | 02°49' N - 053°22' W | 3 (two of which initially determined as <i>M. brachyloba</i>) | Corinne Sarthou | 2002 |
| | Saint-Georges, French Guiana | 03°53' N - 051°48' W | 2 | Benoît Pujol | 2002 |
| Satl, French Guiana | 03°37' N - 053°12' W | 1 | Guillaume Léotard | 2003 | |
| <i>Jatropha</i> <i>gossypifolia</i> | Saint-Georges, French Guiana | 03°53' N - 051°48' W | 1 | Benoît Pujol | 2002 |
| <i>Cnidioscolus urens</i> | Kourou, French Guiana | 05°10' N - 052°40' W | 2 | Doyle McKey | 2002 |

Supplementary Table 2. Sampling locations for domesticated cassava. Landraces are bitter unless otherwise stated. Population SM (Savane Manuel) does not appear in this table, as the individuals of intermediate and domesticated phenotype from this population were treated as supplementary individuals.

| Cultivators | Village | GPS coordinates | Number of samples | Number of landraces | Name of collector | Collection date |
|---|------------------------------|----------------------|-------------------|---------------------|------------------------------------|-----------------|
| Makushi Amerindians (Karib family) | Rewa, Guyana | 04°02' N – 058°35' W | 16 | 16 | Marianne Elias | 1996-1997 |
| Galibi Amerindians (Karib family) | Organabo, French Guiana | 05°33' N - 053°27' W | 2 | 2 | Guillaume Léotard | 2003 |
| Palikur Amerindians (Arawak family) | Saint Georges, French Guiana | 03°53' N – 051°48' W | 10 | 6 | Benoît Pujol | 2002 |
| | Kamuyene, French Guiana | 04°59' N – 052°26' W | 4 | 2 | Benoît Pujol | 2002 |
| Wayãpi Amerindians (Tupi-Guarani family) | Zidock, French Guiana | 02°15' N – 052°52' W | 6 | 6 | Doyle McKey et al. | 2007 |
| Bushi Nenge (descendants of escaped African slaves) | Maripasoula, French Guiana | 03°38' N – 054°02' W | 2 | 2 | Marie Fleury | 1988-1990 |
| Creole | Sinnamary, French Guiana | 05°22' N – 052°57' W | 7 | 8 | Anne Duputié and Guillaume Léotard | 2004 and 2003 |
| Brazilian (recent immigrant in French Guiana) | | | 3 | 3 | Anne Duputié | 2004 |
| Haitian (recent immigrant in French Guiana) | Savane Matiti, French Guiana | 05°03' N – 052°35' W | 1 | 1 | Clément Lermyte | 2006 |
| Unknown | Kourou | 05°10' N - 052°39' W | 2 | 1 | Guillaume Léotard | 2003 |

Supplementary Figure 1. Maximum likelihood tree obtained with *G3pdh* sequences (ln(likelihood) = - 2871.18). 1000 bootstrap replicates were performed; bootstrap percentages > 50 % are indicated above or below nodes.

